

SAFETY DATA SHEET ACCORDING TO 1907/2006/EC, ARTICLE 31

CLEANUX RINSE AID

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING			
1.1:	Product Identifier		
	Product Name	Cleanux Rinse Aid	
	Other means of	Machine Rinse Aid	
	identification	Auto Rinse Aid	
		Machine Glass wash rinse aid	
1.2	RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST		
	Identified uses	Rinse Aid for dish and glass washing machines	

1.3 Details of the supplier of the safety data sheet

	Supplier	Cleanux Chemicals Ltd
	Address	Gordon Road
		Waltham Abbey
		Herts.
		EN9 1AF
	Web	www.cleanux.co.uk
	Telephone	020 7854 1234
	Fax	
	Email	info@cleanux.co.uk
	Email address of the competent person	oxana@cleanux.co.uk
1.4	EMERGENCY TELEPHONE NUMBE	R
	Emergency telephone number	07877 181 956
	Further information	
	Uses advised against	

SECT	SECTION 2: HAZARDS IDENTIFICATION		
2.1	CLASSIFICATION OF THE SUBSTANCE OR MIXTURE		
2.1.1	Classification – 1999/45/EC	SKIN IRRIT. 2-H315 EYE IRRIT. 2 H319	
	Main Hazards	CAUSES SKIN IRRITATION, CAUSES SERIOUS EYE IRRITATION.	



2.2 LABEL ELEMENTS

	Symbols	
	Signal word	WARNING
	Hazard statement	H315 Causes skin irritation
		H319-CAUSES SERIOUS EYE IRRITATION
	Precautionary Statement: Prevention	P102-KEEP OUT OF REACH OF CHILDREN. P 15- RESTRICTED TO PROFESSIONAL USERS. P280-WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.
	Precautionary Statement: Response	P301+P330+P331+ P313- IF SWALLOWED: RINSE MOUTH. DO NOT INDUCE VOMITING. GET MEDICAL ADVICE/ATTENTION.
		P302+352- IF ON SKIN: WASH WITH PLENTY OF WATER.
		P332+P313- IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION.
		P305+P351+P338- IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL
		MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
		P337+P313- IF EVE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
		P501- DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL REGULATIONS.
2.3	OTHER HAZARDS	

Other hazards	This product does not contain any substances classified as PBT or
	vPvB

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Name	Range	EC No	CAS No	Reach No/Submission No	Classification according to 67/548/EEC
ETHOXYLATED PROPOXYLATED ALCOHOLS C12-5	5-10%		68551-13-3		H400
Sodium Cumene Sulphonate	1-3%	250-200-661- 7913-5	32073-22-6		H319
PROPAN-2-OL	.05-2%	203-905-0	67-63-0	01-2119457558- 25	H225; H319; H336

SECTION 4: FIRST AID MEASURES



4.1 DESCRIPTION OF FIRST AID MEASURES

	Inhalation	IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE (SHOW THE LABEL WHERE POSSIBLE). IN CASE OF ACCIDENT BY INHALATION: REMOVE CASUALTY TO FRESH AIR AND KEEP AT REST.	
	Eye contact	RINSE IMMEDIATELY WITH PLENTY OF WATER FOR 15 MINUTES.	
	Skin Contact	RINSE IMMEDIATELY WITH PLENTY OF WATER	
	Ingestion	DO NOT INDUCE VOMOTING. DRINK 1 TO 2 GLASSES OF WATER. IF SWALLOWED, RINSE MOUTH WITH WATER (ONLY IF PERSON IF CONSCIOUS)	
4.2	MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED		
	Inhalation	INHALATION MAY CAUSE NAUSEA AND VOMITING.	
	Eye contact	IRRITATING TO EYES	
	Skin Contact	Irritating to skin	
	Ingestion	INGESTION MAY CAUSE NAUSEA AND VOMITING	
4.3	INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED		
	Inhalation	IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE (SHOW LABEL WHERE POSSIBLE) REMOVE THE EFFECTED PERSON FROM THE SOURCE OF CONTAMINATION IMMEDIATELY.	
	Eve contact	IRRITATING TO EYES. BATHE THE EYE WITH RUNNING WATER FOR 15 MINUTES. REMOVE	

Eye contact	CONTACT LENSES, IF PRESENT AND EASY TO DO.
Skin Contact	IRRITATING TO SKIN. RINSE IMMEDIATELY WITH PLENTY OF WATER.
Ingestion	Ingestion may cause nausea and vomiting, Rinse mouth thoroughly. Drink 1 to 2 glasses of water $% \mathcal{O}(\mathcal{O})$

GENERAL INFORMATION

AVOID CONTACT WITH EYES AND SKIN. IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL SEEK
MEDICAL ADVICE IMMEDIATELY (SHOW LABEL WHERE POSSIBLE)

SECTION 5: FIREFIGHTING MEASURES			
5.1	EXTINGUISHING MEDIA		
		WATER SPRAY	
5.2	SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE		
		CARBON DIOXIDE (CO2), IRRITATING GASES OR VAPOURS.	
5.3	Advice for firefighters		
		SELF-CONTAINED BREATHING APPARATUS (SCBA) AND PROTECTIVE CLOTHING.	

SECTION 6: ACCIDENTAL RELEASE MEASURES			
6.1	PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES		
		WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION. WEAR SUITABLE GLOVES AND EYE/FACE PROTECTION.	
6.2	Environmental precautions		
		ADVISE LOCAL AUTHORITIES IF LARGE SPILLS CANNOT BE CONTAINED.	



6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

	SMALL SPILLAGES UNDER 5 LITRES FLUSH AWAY WITH PLENTY OF WATER. LARGER SPILLAGE ABSORB WITH INERT, ABSORBENT MATERIAL. COLLECT AND PLACE IN SUITABLE WASTE DISPOSAL CONTAINERS AND SEAL SECURELY.
6.4 REFERENCE TO OTHER SECTIONS	

6.4 REFERENCE TO OTHER SECTIONS

FOR PERSONAL PROTECTION, SEE SECTION 8, FOR WASTE DISPOSAL SEE SECTION 13.
FUR PERSONAL PROTECTION, SEE SECTION &, FUR WASTE DISPUSAL SEE SECTION 1.5.

FURTHER INFORMATION

SECT	SECTION 7: HANDLING AND STORAGE			
7.1	PRECAUTIONS FOR SAFE HANDLING			
		Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes an skin. Keep only in the original container. Keep out of reach of children.		
7.2	CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES			
		KEEP ONLY IN ORIGINAL CONTAINER IN A COOL WELL VENTILATED PLACE. STORE AWAY FROM THE FOLLOWING MATERIALS: OXIDISING MATERIALS.		
7.3	SPECIFIC END USE(S)			
		THE IDENTIFIED USES FOR THIS PRODUCT ARE DETAILED IN SECTION 1.2.		
	SUITABLE PACKAGING	KEEP ONLY IN ORIGINAL CONTAINERS.		

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

NO DATA IS AVAILABLE ON THIS PRODUCT

8.1.1 EXPOSURE LIMIT VALUES

Propan-2-ol	LONG-TERM EXPOSURE LIMIT (8-HOUR TWA): WEL 400PPM 999MG/M3
	SHORT-TERM EXPOSURE LIMIT (15-MINUTE): WEL 500PPM 1250 MG/M3



8.2.1 Appropriate engineering controls	NOT RELEVANT
8.2.2 Individual protection measures	AVOID CONTACT WITH EYES AND SKIN. WEAR SUITABLE GLOVES AND EYE FACE PROTECTION.
Eye/face protection	SAFETY GLASSES
Skin protection	RUBBER GLOVES
Hand protection	WEAR SUITABLE GLOVES
Skin protection – other	AVOID CONTACT WITH EYES AND SKIN. WEAR SUITABLE GLOVES AND EYE FACE PROTECTION.
Respiratory protection	NOT NORMALLY REQUIRED
Thermal hazards	NOT RELEVANT
8.2.3 Environmental exposure controls	NOT NORMALLY REQUIRED
Occupational exposure controls	NOT NORMALLY REQUIRED.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

State	LIQUID
Colour	CLEAR BLUE
Odour	CHARACTERISTIC
рН	3.0
Melting point	NOT APPLICABLE
Freezing point	-4
Boiling point	103
Flash point	NOT APPLICABLE
Evaporation rate	NOT APPLICABLE
Flammability limits	NOT APPLICABLE
Vapour flammability	NOT APPLICABLE
Vapour pressure	NOT APPLICABLE
Vapour density	-1
Relative density	1.01
Fat solubility	NOT APPLICABLE



	Partition coefficient	NOT APPLICABLE
	Autoignition temperature	NOT RELEVANT
	Explosive	NOT APPLICABLE
	Oxidising	NOT APPLICABLE
	Solubility	SOLUBLE IN WATER
9.2	OTHER INFORMATION	
	Conductivity	NOT APPLICABLE
	Surface tension	NOT APPLICABLE
	Gas group	NOT APPLICABLE
	Benzene content	NOT APPLICABLE
	Lead content	NOT APPLICABLE
	VOC (volatile organic compounds)	NOT APPLICABLE

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

		THERE ARE NO KNOWN REACTIVITY HAZARDS ASSOCIATED WITH THIS PRODUCT.	
10.2	10.2 CHEMICAL STABILITY		
		STABLE UNDER NORMAL CONDITIONS	
10.3	10.3 POSSIBILITY OF HAZARDOUS REACTIONS		
		SEE SECTIONS 10.1, 10.4, 10.5	
10.4	CONDITIONS TO AVOID		
		THERE ARE NO KNOWN CONDITIONS THAT ARE LIKELY TO RESULT IN A HAZARDOUS SITUATION.	
10.5	INCOMPATIBLE MATERIALS		
		NO SPECIFIC MATERIAL OR GROUP OF MATERIALS IS LIKELY TO REACT WITH THE PRODUCT TO PRODUCE A HAZARDOUS SITUATION.	
10.6	HAZARDOUS DECOMPOSITION P	RODUCTS	
		NO KNOWN HAZARDOUS DECOMPOSITION PRODUCTS.	

SECTION 11: TOXICOLOGICAL INFORMATION		
11.1 INFORMATION ON TOXICOLOGICAL EFFECTS		

Acute toxicity	NO DATA AVAILABLE		
Skin corrosion/irritation	MAY CAUSE SENSITISATION		
Serious eye damage/irritation	MAY CAUSE SENSITISATION		
Respiratory or skin sensitisation	MAY CAUSE SENSITISATION BY INHALATION AND SKIN CONTACT.		



Germ cell mutagenicity	NO DATA IS AVAILABLE ON THIS PRODUCT.
Carcinogenicity	NO DATA IS AVAILABLE ON THIS PRODUCT.
Reproductive toxicity	NO DATA IS AVAILABLE ON THIS PRODUCT.
STOT-single exposure	NO DATA IS AVAILABLE ON THIS PRODUCT.
STOT-repeated exposure	NO DATA IS AVAILABLE ON THIS PRODUCT.
11.1.4 Toxicological Information	NO DATA AVAILABLE

SECTION 12: ECOLOGICAL INFORMATION			
12.1 TOXICITY	2.1 Toxicity		
Ethoxylated Propoxylated Alcohols C12-15	LC50, 96нг, Fish mg/l 1.8 EC50, 48нг, Daphnia mg/l 0.22-0.75 IC50, 72нг Algae mg/l 1.4		
12.2 PERSISTENCE AND DEGRADABILITY			
	More than 90% biodegradable. The surfactant(s) contained in this product complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request.		
12.3 BIO ACCUMULATIVE POTENTIAL			
	DOES NOT BIOACCUMULATE		

12.4 MOBILITY IN SOIL

	NOT KNOWN
12.5 RESULTS OF PBT AND VPVB ASSESSMENT	
	DNEL: DERIVED NO EFFECT LEVEL
12.6 OTHER ADVERSE EFFECTS	
	DNEL: DERIVED NO EFFECT LEVEL

SECTION 13: DISPOSAL CONSIDERATIONS	
13.1 WASTE TREATMENT METHODS	
	Discharge used solutions to drain. Small amounts (less than 5 litres) of unwanted product may be flushed with water to sewer. Large volumes must



	be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.
GENERAL INFORMATION	
	This product is considered as none hazardous
DISPOSAL METHODS	
	LOCAL AND NATIONAL REGULATIONS. THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY.
DISPOSAL OF PACKAGING	
	EMPTY CONTAINERS CAN BE CLEANED WITH WATER. EMPTY CONTAINERS CAN BE SENT FOR DISPOSAL OR RECYCLING.

SECTION 14: TRANSPORT INFORMATION	
ADR/RID	THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS FOR CARRIAGE.
IMDG	THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS FOR CARRIAGE.
ΙΑΤΑ	THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS FOR CARRIAGE.

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 AMENDING REGULATION (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemical Agency, Amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 AND Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directive 91/155/EEC, 93/67/EEC, 93/105EC AND 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) establishing a European Chemical Agency, Amending Directive 1999/45/EC and Repealing Council Regulation (EEC) No 793/93 and
	COMMISSION REGULATION (EC) NO 1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC AND COMMISSION DIRECTIVES 91/155/EEC, 93/67/EEC AND 2000/21/EC

15.2 CHEMICAL SAFETY ASSESSMENT

NO DATA IS AVAILABLE ON THIS PRODUCT

SECTION 16: OTHER INFORMATION	
OTHER INFORMATION	
Text of risk phrases in Section 3	H319- Causes serious eye irritation. H225 Highly flammable liquid vapour



	H336 May cause drowsiness or dizziness
	H400- Very toxic to aquatic life
GENERAL INFORMATION	
	THE PRODUCT IS NOT CLASSIFIED AS DANGEROUS FOR CARRIAGE. THIS INFORMATION IS CORRECT TO THE BEST OF OUR KNOWLEDGE AND BELIEF AT THE DATE OF PUBLICATION HOWEVER NO GUARANTEE IS MADE TO ITS ACCURACY.
	The information contained in this data sheet is, to the best of our knowledge and belief, accurate and is based upon our technical knowledge of the product and the date of issue. No warranty or representation, express or implied, is made as to its accuracy, reliability or completeness.
	CLEANUX CHEMICALS LTD WILL NOT BE RESPONSIBLE FOR ANY DAMAGE OR INJURY RESULTING FROM ANY INHERENT HAZARD OF THE MATERIAL, THE ABNORMAL USE OF THE MATERIAL OR FROM FAILURE TO ADHERE TO RECOMMENDATION.