

SAFETY DATA SHEET according to Regulation (EU) 2015/830

Cagewash 2

Page 1/7

Revision 1

	Revision date 13/10/22
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Cagewash 2
Product code	SYC-CW2-5L, SYC-CW2-10L, SYC-CW2-20L, SYC-CW2-200L
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Description	Detergent.
1.3. Details of the supplier of the	e safety data sheet
Company Address	Sychem Ltd Mayflower Close, Chandler's Ford Eastleigh SOUTHAMPTON, SO53 4AR UNITED KINGDOM
Web Telephone Email	www.sychem.co.uk 0845 644 6824 sales@sychem.co.uk
1.4. Emergency telephone numb	ber
Emergency telephone number	44 (0) 845 644 6824 8.30 am - 5.00 pm Mon - Thurs, 8.30am – 4.30pm Fri UK time)
SECTION 2: Hazards identif	ication
2.1. Classification of the substar	nce or mixture
2.1.2. Classification - EC 1272/2008	Eye Irrit. 2: H319;
2.2. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.

Cagewash 2

2.2. Label elements		
Precautionary Statement: Prevention	P264 - Wash thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
Response	lenses, if present and easy to do. Continue rinsing.	
	P337+P313 - If eye irritation persists: Get medical advice/attention.	
2.3. Other hazards		
Other hazards	This substance is not identified as a PBT substance.	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Potassium polyphosphate aqueous solution						Eye Irrit. 2: H319;
1, 2 Dihydroxypropane		57-55-6	200-338-0			
(Propane-1,2-diol total vapour and particulates)						
Acrylic acid	607-061-00-8	79-10-7	201-177-9			Flam. Liq. 3: H226; Acute
						Tox. 4: H332; Acute Tox. 4:
						H312; Acute Tox. 4: H302;
						Skin Corr. 1A: H314; Aquatic
						Acute 1: H400;
Subtilisin (Subtilisins (Bacillus	647-012-00-8	9014-01-1	232-752-2			STOT SE 3: H335; Skin Irrit.
subtilis Carlsberg))						2: H315; Eye Dam. 1: H318;
						Resp. Sens. 1: H334;

Further information

An Aqueous blend of polyphosphates, soil suspending agents.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so. Seek medical attention if irritation or symptoms persist.
Eye contact	Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Avoid contact with skin. Wash with water. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Seek medical attention if irritation or symptoms persist.
Ingestion	Remove casualty from exposure ensuring one's own safety whilst doing so. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist.	
Eye contact	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Avoid contact with eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.	
Skin contact	After contact with skin, wash immediately with plenty of water. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Seek medical attention if irritation or symptoms persist.	
Ingestion	Remove the affected person from the source of contamination immediately. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.	

Cagewash 2

Revision 1


	Revision date 13/10/22
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist.
Eye contact	Avoid contact with eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Avoid contact with skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Seek medical attention if irritation or symptoms persist.
Ingestion	Remove the affected person from the source of contamination immediately. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from	n the substance or mixture
	Material is not flammable and not considered a fire hazard.
5.3. Advice for firefighters	
	Protective equipment. Self-contained breathing apparatus. Wear suitable respiratory equipment when necessary.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Wear suitable protective clothing, gloves and eye/face protection.
6.2. Environmental precautions	
	Accidental release measures. Do not allow product to enter drains. Do not allow runoff water to enter sewers or drains. local and national regulations.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sand. Solid. Do not allow product to enter drains. Do not allow runoff water to enter sewers or drains. Do not empty into drains; dispose of this material and its container in a safe way.
6.4. Reference to other sections	
	See section 2,3,8,13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlin	ng
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Do not empty into drains. Do not empty into drains; dispose of this material and its container in a safe way. Wear suitable protective clothing, gloves and eye/face protection.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Keep only in the original container. Store at temperatures between 5 °C and 25 °C. Store in original container.
Suitable packaging	Keep container tightly closed and dry. Keep only in the original container in a cool, well-ventilated place. Store in original container.
7.3. Specific end use(s)	
	Detergent.
SECTION 8: Exposure contr	ols/personal protection

8.1. Control parameters

8.1. Control parameters

	See section 8.2 for further information.		
8.1.1. Exposure Limit Values			
1, 2 Dihydroxypropane (Propane-1,2-diol particulates)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10	0
()	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -	
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:	
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:	
1, 2 Dihydroxypropane (Propane-1,2-diol total vapour and particulates)	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 47	74
. ,	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -	
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:	
Subtilisin (Subtilisins (Bacillus subtilis Carlsberg))	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 0.	.00004
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -	
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:	
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:	

8.2. Exposure controls



9.1. Information on basic physical and chemical properties

Revision 1 Revision date 13/10/22

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellow
Odour	Slight
Odour threshold	Not required
pH	7 - 8.5
Initial boiling point	100
Flash point	150
Evaporation rate	Not determined
Vapour pressure	Not required
Vapour density	Not required
Viscosity	Not determined
Solubility	Soluble in water

9.2. Other information

	Not determined
Surface tension	
Specific gravity	1.18 - 1.22
Gas group	Not required

SECTION 10: Stability and reactivity

10.1. Reactivity

nder recommended transport or storage conditions.
nder normal conditions.
nix with other detergents materials. Do not mix with bleach , acids , or strong oxidising
vay from heat. Keep only in the original container at a temperature not exceeding 25 °C.
ases. Oxidising agents. Strong acids. Keep away from bleach , or other detergents s.
n
available
available
3
mpty into drains; dispose of this material and its container in a safe way. Local and regulations. This material and its container must be disposed of in a safe way.
d national regulations. Clean the empty containers first with plenty of water. Containers ecycled if in compliance with local and national regulations.

Copyright © 2022 Sychem Ltd. All rights reserved.

Cagewash 2

Revision 1

Revision date 13/10/22

SECTION 14: Transport information			
14.1. UN number			
	The product is not classified as dangerous for carriage.		
14.2. UN proper shipping name			
	The product is not classified as dangerous for carriage.		
14.3. Transport hazard class(es)			
	The product is not classified as dangerous for carriage.		
14.4. Packing group			
	The product is not classified as dangerous for carriage.		
14.5. Environmental hazards			
	The product is not classified as dangerous for carriage.		
14.6. Special precautions for use	14.6. Special precautions for user		
	The product is not classified as dangerous for carriage.		
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code		
	The product is not classified as dangerous for carriage.		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Regulation (EC) No 793/93 and Commission and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 7488/94 as well as Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 7488/94 as well as Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 7488/94 as well as Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 7488/94 as well as Council Regulation (EC) No 793/93 and Council Regulatio
	Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	12 - 12.1. Toxicity.
Text of Hazard Statements in	Eye Irrit. 2: H319 - Causes serious eye irritation.
Section 3	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Acute Tox. 4: H312 - Harmful in contact with skin.
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
	Acute Tox. 4: H332 - Harmful if inhaled.
	STOT SE 3: H335 - May cause respiratory irritation.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Further information	

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,

Further information	
	storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.